

How to help  
someone who  
may be  
CONSIDERING  
SUICIDE





# How to take someone away from Suicide



Every 40 seconds, someone, somewhere in the world, dies by suicide. For people with severe depression, it is not uncommon to think about suicide

## You should know this

- Suicides are preventable.
- It is okay to talk about suicide.
- Asking about suicide does not provoke the act of suicide. It often reduces anxiety and helps people feel understood.



## Warning signs of suicidal thinking

- Threatening to kill oneself.
- Saying things like “No-one will miss me when I am gone.”
- Looking for ways to kill oneself, such as seeking access to pesticides, firearms or medication, or browsing the internet for means of taking one’s own life.
- Saying goodbye to close family members and friends, giving away of valued possessions, or writing a will.

## Who is at risk of suicide?

- People who have previously tried to take their own life.
- Someone with depression or an alcohol or drug problem.
- Those who are suffering from severe emotional distress, for example following the loss of a loved one or a relationship break-up.
- People suffering from chronic pain or illness.
- People who have experienced war, violence, trauma, abuse or discrimination.
- Those who are socially isolated.





# How to take someone away from Suicide



## What can you do to prevent suicide?

Find an appropriate time and a quiet place to talk about suicide with the person you are worried about. Let them know that you are there to listen.




Encourage the person to seek help from a professional, such as a doctor, mental health professional, counsellor or social worker. Offer to accompany them to an appointment.

If you think the person is in immediate danger, do not leave him or her alone. Seek professional help from the emergency services, a crisis line, or a health-care professional, or turn to family members



If the person you are worried about lives with you, ensure that he or she does not have access to means of self-harm (for example pesticides, firearms or medication) in the home

Stay in touch to check how the person is doing.



This is a patient awareness initiative and the information provided here is not a substitute for medical advice and treatment. Although all reasonable precautions have been taken to verify the information contained in this publication, this material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the organisation be liable for damages arising from its use.